

SAFETY DATA SHEET

PerOxytabs II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

PerOxytabs II

▼ Unique formula identifier (UFI)

WV30-X0U4-N00S-KESQ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

PC8 Disinfection

Restricted to professional users.

Product code (A.I.S.E.)

AISE-P903 / Preservation and sanitation agent. Process water.

AISE-P314 / Surface disinfectant. Manual process.

Use descriptors (REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category	Description
PC 8	Biocidal Products (e.g. Disinfectants, pest control)

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

NCA-Verodan A/S
 Industriparken 5
 DK-9560 Hadsund
 Denmark
 Tel.: +45 7027 1630
 www.ncaa.dk

E-mail

mail@ncaa.dk

Revision

07/08/2024

SDS Version

2.0

Date of previous version

07/08/2024 (1.0)

1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Acute Tox. 4; H302, Harmful if swallowed.

Skin Corr. 1B; H314, Causes severe skin burns and eye damage.

Skin Sens. 1; H317, May cause an allergic skin reaction.

Eye Dam. 1; H318, Causes serious eye damage.

Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

Harmful if swallowed. (H302)
 Causes severe skin burns and eye damage. (H314)
 May cause an allergic skin reaction. (H317)
 Harmful to aquatic life with long lasting effects. (H412)

Precautionary statement(s)

General

-

Prevention

Do not breathe dust. (P260)
 Contaminated work clothing should not be allowed out of the workplace. (P272)
 Wear face protection/protective gloves. (P280)

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. (P303+P361+P353)
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Storage

-

Disposal

Dispose of contents/container in accordance with local regulation (P501)

Hazardous substances

Kaliummonopersulfat
 maleinsyre
 Sodium dodecyl sulphate

Additional labelling

Active substance(s):
 Kaliummonopersulfat (80 g/100g)

UFI: WV30-X0U4-N00S-KESQ

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
 This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Kaliummonopersulfat	CAS No.: 70693-62-8 EC No.: 274-778-7 REACH: Index No.:	80-95%	Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412	
maleinsyre	CAS No.: 110-16-7 EC No.: 203-742-5 REACH:	10-15%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317	

	Index No.: 607-095-00-3		Eye Irrit. 2, H319 STOT SE 3, H335
sulphamidic acid sulphamic acid sulfamic acid	CAS No.: 5329-14-6 EC No.: 226-218-8 REACH: Index No.: 016-026-00-0	5-10%	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Sodium dodecyl sulphate	CAS No.: 151-21-3 EC No.: 205-788-1 REACH: 01-2119489461-32-XXXX Index No.:	3-5%	Flam. Sol. 2, H228 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 20.00 %) Acute Tox. 4, H332 STOT SE 3, H335 Aquatic Chronic 3, H412

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

-

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.

Skin contact

IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation or rash occur: Get medical advice.

Eye contact

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

Ingestion

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

Information to medics

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Sulphur oxides

Nitrogen oxides (NO_x)

Carbon oxides (CO / CO₂)

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Limit spillage, sweep up and shovel into appropriate containers for disposal. Store in suitable, closed containers for disposal.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material

Keep only in original packaging.

Storage conditions

Dry, cool and well ventilated

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

Kaliummonopersulfat

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	2 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	4 mg/kg bw/day

Long term – Local effects - General population	Inhalation	56 µg/m ³
Long term – Local effects - Workers	Inhalation	112 µg/m ³
Long term – Systemic effects - General population	Oral	1 mg/kg bw/day
Short term – Systemic effects - General population	Oral	3 mg/kg bw/day

maleinsyre

Duration:	Route of exposure:	DNEL:
Long term – Local effects - Workers	Inhalation	3 mg/m ³
Long term – Systemic effects - Workers	Inhalation	3 mg/m ³
Short term – Local effects - Workers	Inhalation	3 mg/m ³
Short term – Systemic effects - Workers	Inhalation	3 mg/m ³

Sodium dodecyl sulphate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	2440 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	4060 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	85 mg/m ³
Long term – Systemic effects - Workers	Inhalation	285 mg/m ³
Long term – Systemic effects - General population	Oral	24 mg/kg bw/day

PNEC

Kaliummonopersulfat

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		22.2 µg/L
Freshwater sediment		79.92 µg/kg
Intermittent release (freshwater)		10 µg/L
Intermittent release (marine water)		5.56 µg/L
Marine water		2.22 µg/L
Marine water sediment		7.992 µg/kg
Sewage treatment plant		1 mg/L
Soil		2.996 µg/kg

maleinsyre

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		100 µg/L
Freshwater sediment		334 µg/kg
Intermittent release (freshwater)		428.1 µg/L
Marine water		10 µg/L
Marine water sediment		33.4 µg/kg
Sewage treatment plant		44.6 mg/L
Soil		41.5 µg/kg

Sodium dodecyl sulphate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		176 µg/L
Freshwater sediment		6.97 mg/kg
Intermittent release (freshwater)		55 µg/L
Marine water		17.6 µg/L
Marine water sediment		697 µg/kg
Sewage treatment plant		1.35 mg/L

Soil 1.29 mg/kg

8.2. Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Ensure that eyewash stations and safety showers are located within easy reach.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Type	Class	Colour	Standards
No special when used as intended.			

Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	0,38	> 480	EN374-2, EN374-3, EN388
Butyl	0,3	> 480	EN374-2, EN374-3, EN388
Neoprene (Neoprene)	0.38	> 60	EN374-2, EN374-3, EN388



Eye protection

Type	Standards
No special when used as intended.	-
In the likelihood of direct or incidental exposure, use face protection.	EN166



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Tablets

Colour

White

Odour / Odour threshold

Faint

pH

-

pH in solution

2,25 (5%)

Density (g/cm³)

1.08

Kinematic viscosity

Does not apply to solids.

Particle characteristics

Testing not relevant or not possible due to the nature of the product.

Phase changes**Melting point/Freezing point (°C)**

Testing not relevant or not possible due to the nature of the product.

Softening point/range (°C)

Does not apply to solids.

Boiling point (°C)

Does not apply to solids.

Vapour pressure

Testing not relevant or not possible due to the nature of the product.

Relative vapour density

Does not apply to solids.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards**Flash point (°C)**

Does not apply to solids.

Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

Auto-ignition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Lower and upper explosion limit (% v/v)

Does not apply to solids.

Solubility**Solubility in water**

Completely soluble

n-octanol/water coefficient (LogKow)

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information**Other physical and chemical parameters**

No data available.

Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	Kaliummonopersulfat
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	500 mg/kg ·

Product/substance	Kaliummonopersulfat
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	2000 mg/kg ·

Product/substance	maleinsyre
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	708 mg/kg ·

Product/substance	maleinsyre
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	1560 mg/kg ·

Product/substance	sulphamidic acid sulphamic acid sulfamic acid
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg ·

Harmful if swallowed.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	Kaliummonopersulfat
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	>32 mg/l ·

Product/substance	Kaliummonopersulfat
Species:	Daphnia
Duration:	24 hours
Test:	EC50
Result:	5,3 mg/l ·

Product/substance	maleinsyre
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	5 mg/l ·

Product/substance	maleinsyre
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	316,2 mg/l ·

Product/substance	sulphamidic acid sulphamic acid sulfamic acid
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	70,3 mg/l ·

Product/substance	sulphamidic acid sulphamic acid sulfamic acid
Species:	Daphnia
Duration:	24 hours
Result:	71,6 mg/l ·

Product/substance	sulphamidic acid sulphamic acid sulfamic acid
Species:	Algae
Duration:	72 hours
Result:	48,0 mg/l ·

Product/substance	sulphamidic acid sulphamic acid sulfamic acid
Species:	Daphnia
Duration:	24 hours
Result:	71,6 mg/l ·

Product/substance	sulphamidic acid sulphamic acid sulfamic acid
Species:	Daphnia
Duration:	24 hours
Test:	EC50
Result:	71,6 mg/l ·

Product/substance	sulphamidic acid sulphamic acid sulfamic acid
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	48 mg/l

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Product/substance	maleinsyre
Result:	93%
Conclusion:	Readily biodegradable
Test:	OECD 301 B

Product/substance	sulphamidic acid sulphamic acid sulfamic acid
Conclusion:	Readily biodegradable

12.3. Bioaccumulative potential

Product/substance	Kaliummonopersulfat
LogKow:	0,3000
Conclusion:	No potential for bioaccumulation

Product/substance	maleinsyre
LogKow:	0,4600
Conclusion:	No potential for bioaccumulation

Product/substance	sulphamidic acid sulphamic acid sulfamic acid
LogKow:	0,1000
Conclusion:	No potential for bioaccumulation

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)

HP 6 - Acute toxicity

HP 8 - Corrosive

HP 13 - Sensitising

HP 14 - Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

20 01 29* Detergents containing dangerous substances

Waste group H:

Waste with low energy content

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1759	CORROSIVE SOLID, N.O.S. (Kaliummonopersulfat)	Transport hazard class: 8 Label: 8 Classification code: C10 	III	No	Limited quantities: 1 kg Tunnel restriction code: (E) See below for additional information.
IMDG	UN1759	CORROSIVE SOLID, N.O.S. (Kaliummonopersulfat)	Transport hazard class: 8 Label: 8 Classification code: C10 	III	No	Limited quantities: 1 kg EmS: F-A S-B See below for additional information.
IATA	UN1759	CORROSIVE SOLID, N.O.S. (Kaliummonopersulfat)	Transport hazard class: 8 Label: 8 Classification code: C10 	III	No	See below for additional information.

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Biocidal Products Regulations

Product type: PT2 - Disinfectants and algacides not intended for direct application to humans or animals, PT4 -

Food and feed area

Restrictions on use

-

Directions for use and dose rate

-

Additional information

-

REACH, Annex XVII

Sodium dodecyl sulphate is subject to REACH restrictions (entry 40).

▼ Product registration number

1984372

Additional information

Not applicable.

Sources

The Danish Working Environment Authority's executive order no. 1049 of 30 May 2021 on young people's work.
Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.
Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.
Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H228, Flammable solid.
H302, Harmful if swallowed.
H314, Causes severe skin burns and eye damage.
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H318, Causes serious eye damage.
H319, Causes serious eye irritation.
H332, Harmful if inhaled.
H335, May cause respiratory irritation.
H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
PC 8 = Biocidal Products (e.g. Disinfectants, pest control)

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

LEJ

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en